*Brain Research*, 484 (1989) 410–412
Elsevier

# Author Index

Acuña, C., see Cudeiro, J., 367
Airaksinen, M.S., see Paula, P., 234
Akaike, N., see Kaneda, M., 348
Alonso, J.M., see Cudeiro, J., 367
Anderson, J.H., see Reisman, J.E., 119
Araujo, D.M., Lapchak, P.A., Collier, B., Chabot, J.-G. and Quirion, R., Insulin-like growth factor-1 (somatomedin-C) receptors in the rat brain: distribution and interaction with the hippocampal cholinergic system, 130
Ashida, H., see Kanda, M., 325
Attal, N., see Guilbaud, G., 383
Auvinen, S., see Paula, P., 234

Babcock-Atkinson, E., Norenberg, L.O.B., Norenberg, M.D. and Neary, J.T., Diazepam inhibits calcium, calmodulin-dependent protein kinase in primary astrocyte cultures, 399
Baker, K., see Zorumski, C.F., 102
Barnes, C.D., see Lai, Y.-Y., 268
Barraclough, C.A., see Petersen, S.L., 279
Barth, D.S., Di, S. and Baumgartner, C., Laminar cortical interactions during epileptic spikes studied with principal component analysis and physiological modeling, 13
Baumgartner, C., see Barth, D.S., 13
Benoist, J.M., see Guilbaud, G., 383
Blaustein, J.D., see Olster, D.H., 168
Blusztajn, J.K., see Ulus, I.H., 217
Bourgoin, S., see Cesselin, F., 71
Brodin, L., see Kasicki, S., 203
Bunn, S.J., see Moeller, I., 192
Bursian, S.J., see Tanaka Jr., D., 240
Buzsáki, G. and Gage, F.H., Absence of long-term potentiation in the subcortically deafferented dentate gyrus, 94

Cadet, J.L., Della Puppa, A. and London, E., Involvement of nigrotecto-reticulospinal pathways in the iminodipropionitrile (IDPN) model of spasmodic dyskinesias: a 2-deoxy-D-[1-$^{14}$C]glucose study in the rat, 57
Cesselin, F., Bourgoin, S., Clot, A.M., Hamon, M. and Le Bars, D., Segmental release of Met-enkephalin-like material from the spinal cord of rats, elicited by noxious thermal stimuli, 71
Chabot, J.-G., see Araujo, D.M., 130
Cho, E.Y.P. and So, K.-F., De novo formation of axon-like processes from axotomized retinal ganglion cells which exhibit long distance growth in a peripheral nerve graft in adult hamsters, 371
Clifford, D.B., see Zorumski, C.F., 102
Clot, A.M., see Cesselin, F., 71
Collier, B., see Araujo, D.M., 130
Covey, D.F., see Zorumski, C.F., 102
Cross, A.J., see Simpson, M.D.C., 273
Cudeiro, J., González, F., Pérez, R., Alonso, J.M. and Acuña, C., Does the pulvinar-LP complex contribute to motor programming?, 367

Deakin, J.F.W., see Simpson, M.D.C., 273
De Backer, J.-P., see De Keyser, J., 36
Deckert, J., see Jørgensen, M.B., 393
De Keyser, J., Walraevens, H., De Backer, J.-P., Ebinger, G. and Vauquelin, G., D2 dopamine receptors in the human brain: heterogeneity based on differences in guanine nucleotide effect on agonist binding, and their presence on corticostriatal nerve terminals, 36
Della Puppa, A., see Cadet, J.L., 57
Di, S., see Barth, D.S., 13
Dong, W.K., Salonen, L.D., Kawakami, Y., Shiwaku, T., Kaukoranta, E.M. and Martin, R.F., Nociceptive responses of trigeminal neurons in SII-7b cortex of awake monkeys, 314
Douglas, V.D., see Nelson, R.J., 43
Dubuc, R., see Kasicki, S., 203

Ebinger, G., see De Keyser, J., 36
Eschalier, A., see Guilbaud, G., 383

Flügge, G., see Paula, P., 234
Fuchs, E., see Paula, A., 234
Fung, S.J., see Lai, Y-Y., 268

Gage, F.H., see Buzsáki, G., 94
Gautron, M., see Guilbaud, G., 383
Gehlert, D.R., see Jørgensen, M.B., 393
González, F., see Cudeiro, J., 367
Graziadei, P.P.C., see Monti Graziadei, A.G., 157
Grillner, S., see Kasicki, S., 203
Grossmann, R., see Leng, G., 290
Guilbaud, G., Benoist, J.M., Eschalier, A., Kayser, V., Gautron, M. and Attal, N., Evidence for central phenomena participating in the changes of responses of ventrobasal thalamic neurons in arthritic rats, 383

Hadjiconstantinou, M., Mariani, A.P. and Neff, N.H., $GM_1$ ganglioside-induced recovery of nigrostriatal dopaminergic neurons after MPTP: an immunohistochemical study, 297
Hamon, M., see Cesselin, F., 71
Healy, D.P., Rettig, R., Nguyen, T. and Printz, M.P., Quantitative autoradiography of angiotensin II receptors in the rat solitary-vagal area: effects of nodose ganglionectomy or sinoaortic denervation, 1
Hesse, G.W., see Shashoua, V.E., 333
Holopainen, I., see Jalonen, T., 177
Hong, J.S., see Zhang, W., 389

Ikemoto, Y., see Kaneda, M., 348
Ishii, K., see Tsuda, T., 228

Jackson, R.H., see Jarvis, M.F., 111
Jalonen, T. and Holopainen, I., Properties of single potassium channels in cultured primary astrocytes, 177
Jarvis, M.F., Jackson, R.H. and Williams, M., Autoradiographic characterization of high-affinity adenosine $A_2$ receptors in the rat brain, 111
Jørgensen, M.B., Deckert, J., Wright, D.C. and Gehlert, D.R., Delayed c-fos proto-oncogene expression in the rat

*Brain Research*, 484 (1989) 410–412
Elsevier

# Author Index

Acuña, C., see Cudeiro, J., 367
Airaksinen, M.S., see Paula, P., 234
Akaike, N., see Kaneda, M., 348
Alonso, J.M., see Cudeiro, J., 367
Anderson, J.H., see Reisman, J.E., 119
Araujo, D.M., Lapchak, P.A., Collier, B., Chabot, J.-G. and Quirion, R., Insulin-like growth factor-1 (somatomedin-C) receptors in the rat brain: distribution and interaction with the hippocampal cholinergic system, 130
Ashida, H., see Kanda, M., 325
Attal, N., see Guilbaud, G., 383
Auvinen, S., see Paula, P., 234

Babcock-Atkinson, E., Norenberg, L.O.B., Norenberg, M.D. and Neary, J.T., Diazepam inhibits calcium, calmodulin-dependent protein kinase in primary astrocyte cultures, 399
Baker, K., see Zorumski, C.F., 102
Barnes, C.D., see Lai, Y.-Y., 268
Barraclough, C.A., see Petersen, S.L., 279
Barth, D.S., Di, S. and Baumgartner, C., Laminar cortical interactions during epileptic spikes studied with principal component analysis and physiological modeling, 13
Baumgartner, C., see Barth, D.S., 13
Benoist, J.M., see Guilbaud, G., 383
Blaustein, J.D., see Olster, D.H., 168
Blusztajn, J.K., see Ulus, I.H., 217
Bourgoin, S., see Cesselin, F., 71
Brodin, L., see Kasicki, S., 203
Bunn, S.J., see Moeller, I., 192
Bursian, S.J., see Tanaka Jr., D., 240
Buzsáki, G. and Gage, F.H., Absence of long-term potentiation in the subcortically deafferented dentate gyrus, 94

Cadet, J.L., Della Puppa, A. and London, E., Involvement of nigrotecto-reticulospinal pathways in the iminodipropionitrile (IDPN) model of spasmodic dyskinesias: a 2-deoxy-D-[1-$^{14}$C]glucose study in the rat, 57
Cesselin, F., Bourgoin, S., Clot, A.M., Hamon, M. and Le Bars, D., Segmental release of Met-enkephalin-like material from the spinal cord of rats, elicited by noxious thermal stimuli, 71
Chabot, J.-G., see Araujo, D.M., 130
Cho, E.Y.P. and So, K.-F., De novo formation of axon-like processes from axotomized retinal ganglion cells which exhibit long distance growth in a peripheral nerve graft in adult hamsters, 371
Clifford, D.B., see Zorumski, C.F., 102
Clot, A.M., see Cesselin, F., 71
Collier, B., see Araujo, D.M., 130
Covey, D.F., see Zorumski, C.F., 102
Cross, A.J., see Simpson, M.D.C., 273
Cudeiro, J., González, F., Pérez, R., Alonso, J.M. and Acuña, C., Does the pulvinar-LP complex contribute to motor programming?, 367

Deakin, J.F.W., see Simpson, M.D.C., 273
De Backer, J.-P., see De Keyser, J., 36
Deckert, J., see Jørgensen, M.B., 393
De Keyser, J., Walraevens, H., De Backer, J.-P., Ebinger, G. and Vauquelin, G., D2 dopamine receptors in the human brain: heterogeneity based on differences in guanine nucleotide effect on agonist binding, and their presence on corticostriatal nerve terminals, 36
Della Puppa, A., see Cadet, J.L., 57
Di, S., see Barth, D.S., 13
Dong, W.K., Salonen, L.D., Kawakami, Y., Shiwaku, T., Kaukoranta, E.M. and Martin, R.F., Nociceptive responses of trigeminal neurons in SII-7b cortex of awake monkeys, 314
Douglas, V.D., see Nelson, R.J., 43
Dubuc, R., see Kasicki, S., 203

Ebinger, G., see De Keyser, J., 36
Eschalier, A., see Guilbaud, G., 383

Flügge, G., see Paula, P., 234
Fuchs, E., see Paula, A., 234
Fung, S.J., see Lai, Y-Y., 268

Gage, F.H., see Buzsáki, G., 94
Gautron, M., see Guilbaud, G., 383
Gehlert, D.R., see Jørgensen, M.B., 393
González, F., see Cudeiro, J., 367
Graziadei, P.P.C., see Monti Graziadei, A.G., 157
Grillner, S., see Kasicki, S., 203
Grossmann, R., see Leng, G., 290
Guilbaud, G., Benoist, J.M., Eschalier, A., Kayser, V., Gautron, M. and Attal, N., Evidence for central phenomena participating in the changes of responses of ventrobasal thalamic neurons in arthritic rats, 383

Hadjiconstantinou, M., Mariani, A.P. and Neff, N.H., $GM_1$ ganglioside-induced recovery of nigrostriatal dopaminergic neurons after MPTP: an immunohistochemical study, 297
Hamon, M., see Cesselin, F., 71
Healy, D.P., Rettig, R., Nguyen, T. and Printz, M.P., Quantitative autoradiography of angiotensin II receptors in the rat solitary-vagal area: effects of nodose ganglionectomy or sinoaortic denervation, 1
Hesse, G.W., see Shashoua, V.E., 333
Holopainen, I., see Jalonen, T., 177
Hong, J.S., see Zhang, W., 389

Ikemoto, Y., see Kaneda, M., 348
Ishii, K., see Tsuda, T., 228

Jackson, R.H., see Jarvis, M.F., 111
Jalonen, T. and Holopainen, I., Properties of single potassium channels in cultured primary astrocytes, 177
Jarvis, M.F., Jackson, R.H. and Williams, M., Autoradiographic characterization of high-affinity adenosine $A_2$ receptors in the rat brain, 111
Jørgensen, M.B., Deckert, J., Wright, D.C. and Gehlert, D.R., Delayed c-fos proto-oncogene expression in the rat

hippocampus induced by transient global cerebral ischemia: an in situ hybridization study, 393

Kanda, M., Maru, E., Ashida, H., Tatsuno, J. and Takatani, O., Effects of LTP-inducing tetanic stimulations of the perforant path on the commissural inhibition and facilitation of dentate granule cell discharge, 325
Kaneda, M., Oyama, Y., Ikemoto, Y. and Akaike, N., Blockade of the voltage-dependent sodium current in isolated rat hippocampal neurons by tetrodotoxin and lidocaine, 348
Kasicki, S., Grillner, S., Ohta, Y., Dubuc, R. and Brodin, L., Phasic modulation of reticulospinal neurones during fictive locomotion and other types of spinal motor activity in lamprey, 203
Kaukoranta, E.M., see Dong, W.K., 314
Kawakami, Y., see Dong, W.K., 314
Kayser, V., see Guilbaud, G., 383
Kemenes, G., see Vehovszky, Á., 404
Kitao, Y., Nakamura, Y., Kudo, M., Moriizumi, T. and Tokuno, H., The cerebral and cerebellar connections of pretectothalamic and pretecto-olivary neurons in the anterior pretectal nucleus of the cat, 304
Kogure, K., see Tsuda, T., 228
Kohsaka, S., Shinozaki, T., Nakano, Y., Takei, K., Toya, S. and Tsukada, Y., Expression of Ia antigen on vascular endothelial cells in mouse cerebral tissue grafted into the third ventricle of rat brain, 340
Kudo, M., see Kitao, Y., 304

Lai, Y.-Y., Strahlendorf, H.K., Fung, S.J. and Barnes, C.D., The actions of two monoamines on spinal motoneurons from stimulation of the locus coeruleus in the cat, 268
Lapchak, P.A., see Araujo, D.M., 130
Le Bars, D., see Cesselin, F., 71
Leng, G., Russell, J.A. and Grossmann, R., Sensitivity of magnocellular oxytocin neurones to opioid antagonists in rats treated chronically with intracerebroventricular (i.c.v.) morphine, 290
London, E., see Cadet, J.L., 67
Lux, H.D., see Müller, W., 184
Mann, D.M.A., see Simpson, M.D.C., 273
Mariani, A.P., see Hadjiconstantinou, M., 297
Marley, P.D., see Moeller, I., 192
Martin, R.F., see Dong, W.K., 314
Maru, E., see Kanda, M., 325
Mauron, C., see Ulus, I.H., 217
McKinley, P.A. and Swyter, E., Progressive changes in somatosensory cortical maps in 6-week-old kittens cord-transected at $T_{12}$, 378
Misgeld, U., see Müller, W., 184
Moeller, I., Bunn, S.J. and Marley, P.D., Actions of somatostatin on perfused bovine adrenal glands and cultured bovine adrenal medullary cells, 192
Monti Graziadei, A.G. and Graziadei, P.P.C., Experimental studies on the olfactory marker protein. V. Olfactory marker protein in the olfactory neurons transplanted within the olfactory bulb, 157
Moriizumi, T., see Kitao, Y., 304
Müller, W., Misgeld, U. and Lux, H.D., $\gamma$-Aminobutyric acid-induced ion movements in the guina pig hippocampal slice, 184
Mulvihill, P. and Perry, G., Immunoaffinity demonstration that paired helical filaments of Alzheimer disease share epitopes with neurofilaments, MAP2 and tau, 150
Murphy, V.A., Smith, Q.R. and Rapoport, S.I., Uptake and concentraton of calcium in rat choroid plexus during chronic hypo- and hypercalcemia, 65

Nakamura, Y., see Kitao, Y., 304
Nakano, Y., see Kohsaka, S., 340
Neary, J.T., see Babcock-Atkinson, E., 399
Necker, R., see Schneider, A., 139
Neff, N.H., see Hadjiconstantinou, M., 297
Nelson, R.J., and Douglas, V.D., Changes in premovement activity in primary somatosensory cortex differ when monkeys make hand movements in response to visual vs vibratory cues, 43
Nguyen, T., see Healy, D.P., 1
Norenberg, L.O.B., see Babcock-Atkinson, E., 399
Norenberg, M.D., see Babcock-Atkinson, E., 399

Ohta, Y., see Kasicki, S., 203
Olson, L., see Skirboll, S.L., 257
Olster, D.H. and Blaustein, J.D., Development of progesterone-facilitated lordosis in female guinea pigs: relationship to neural estrogen and progestin receptors, 168
Orihara, H., see Tsuda, T., 228
Oyama, Y., see Kaneda, M., 348

Paula, P., Flügge, G., Fuchs, E., Pirvola, U., Auvinen, S. and Airaksinen, M.S., Histamine-immunoreactive nerve fibers in the mammalian spinal cord, 234
Pérez, R., see Cudeiro, J., 367
Perry, G., see Mulvihill, P., 150
Petersen, S.L. and Barraclough, C.A., Suppression of spontaneous LH surges in estrogen-treated ovariectomized rats by microimplants of antiestrogens into the preoptic brain, 279
Pirvola, U., see Paula, P., 234
Poulain, D.A., see Theodosis, D.T., 361
Printz, M.P., see Healy, D.P., 1

Quirion, R., see Araujo, D.M., 130

Rapoport, S.I., see Murphy, V.A., 65
Reisman, J.E. and Anderson, J.H., Compensatory eye movements during head and body rotation in infants, 119
Rettig, R., see Healy, D.P., 1
Reynolds, G.P., see Simpson, M.D.C., 273
Royston, M.C., see Simpson, M.D.C., 273
Russell, J.A., see Leng, G., 290

Sakaguchi, T., see Yamazaki, M., 357
Salonen, L.D., see Dong, W.K., 314
Schneider, A. and Necker, R., Spinothalamic projections in the pigeon, 139
Seifert, W., see Terlau, H., 352
Shashoua, V.E. and Hesse, G.W., Classical conditioning leads to changes in extracellular concentrations of ependymin in goldfish brain, 333
Shinozaki, T., see Kohsaka, S., 340
Shiwaku, T., see Dong, W.K., 314
Siegel, J.M., see Suzuki, S.S., 78
Simpson, M.D.C., Slater, P., Cross, A.J., Mann, D.M.A., Royston, M.C., Deakin, J.F.W. and Reynolds, G.P., Reduced D-[$^3$H]aspartate binding in Down's syndrome brains, 273
Skirboll, S.L., Verhofstad, A. and Olson, L., Survival of adult 5-HT neurons following intraocular transplantation, 257

Slater, P., see Simpson, M.D.C., 273
Smith, Q.R., see Murphy, V.A., 65
So, K.-F., see Cho, E.Y.P., 371
S.-Rózsa, K., see Vehovszky, Á., 404
Stachowiak, M.K., see Zhang, W., 389
Strahlendorf, H.K., see Lai, Y.-Y., 268
Suzuki, S.S., Siegel, J.M. and Wu, M.-F., Role of pontomedullary reticular formation neurons in horizontal head movements: an ibotenic acid lesion study in the cat, 78
Swyter, E., see McKinley, P.A., 378

Takatani, O., see Kanda, M., 325
Takei, K., see Kohsaka, S., 340
Tanaka Jr., D. and Bursian, S.J., Degeneration patterns in the chicken central nervous system induced by ingestion of the organophosphorus delayed neurotoxin tri-*ortho*-tolyl phosphate. A silver impregnation study, 240
Tatsuno, J., see Kanda, M., 325
Terlau, H. and Seifert, W., Influence of epidermal growth factor on long-term potentiation in the hippocampal slice, 352
Theodosis, D.T. and Poulain, D.A., Neuronal-glial and synaptic plasticity in the adult rat paraventricular nucleus, 361
Tilson, H., see Zhang, W., 389
Tokuno, H., see Kitao, Y., 304
Toya, S., see Kohsaka, S., 340
Tsuda, T., Kogure, K., Ishii, K. and Orihara, H., Postischemic changes of calcium and endogenous antagonist in the rat hippocampus studied by proton-induced X-ray emission analysis, 228
Tsukada, Y., see Kohsaka, S., 340

Ulus, I.H., Wurtman, R.J., Mauron, C. and Blusztajn, J.K., Choline increases acetylcholine release and protects against the stimulation-induced decrease in phosphatide levels within membranes of rat corpus striatum, 217

Vauquelin, G., see De Keyser, J., 36
Vehovszky, Á., Kemenes, G. and S.-Rózsa, K., Monosynaptic connections between serotonin-containing neurones labelled by 5,6-dihydroxytryptamine-induced pigmentation in the snail *Helix pomatia* L., 404
Verhofstad, A., see Skirboll, S.L., 257

Walraevens, H., see De Keyser, J., 36
Williams, M., see Jarvis, M.F., 111
Wright, D.C., see Jørgensen, M.B., 393
Wu, M.-F., see Suzuki, S.S., 78
Wurtman, R.J., see Ulus, I.H., 217

Yamazaki, M. and Sakaguchi, T., Pancreatic vagal functional distribution in the secretion of insulin evoked by portal infusion of D-glucose, 357
Yang, J., see Zorumski, C.F., 102

Zhang, W., Tilson, H., Stachowiak, M.K. and Hong, J.S., Repeated haloperidol administration changes basal release of striatal dopamine and subsequent response to haloperidol challenge, 389
Zorumski, C.F., Yang, J., Baker, K., Covey, D.F. and Clifford, D.B., Convulsant γ-butyrolactones block GABA currents in cultured chick spinal cord neurons, 102